



Olivetti d-Copia 500 with DF-73 finisher



DF-71E and mailbox modules

- 1 network interface and optional scanner/printer interfaces
- 2 practical touch-screen console for complete operation management
- 3 paper capacity up to 4,200 cut sheets



OLIVETTI d-COPIA 500 DIGITAL COPIER



www.olivettitecnost.com

olivetti

Product performances
are referred to an appropriate use
under optimal conditions.
With the right to change technical
specifications.
The registered trademarks are the
property of their respective
owners.

The d-Copia 500 is distributed by
Olivetti Tecnost S.p.A.

Tip. Ivreagrafica (02/04)
Code: 3889473 - 01

A hymn to productivity.



**OLIVETTI d-COPIA 500
DIGITAL COPIER**



olivetti

NEED TO RAISE PRODUCTIVITY IN THE OFFICE? THE OLIVETTI d-COPIA 500 HAS ALL THE ANSWERS. A DEPARTMENTAL DIGITAL COPIER WITH A SPEED OF 50 COPIES PER MINUTE, THIS MACHINE OFFERS A FULL SET OF PROFESSIONAL FEATURES: A 20 GB HARD DISK, ALL THE LATEST FINISHER OPTIONS, A STANDARD DUPLEX FOR FRONT-BACK COPYING. SMART AND COMPACT, THE OLIVETTI d-COPIA 500 IS ATTRACTIVELY PRICED WITHOUT SKIMPING ON BASIC REQUIREMENTS LIKE RELIABILITY OR ROBUSTNESS. SO IT'S IDEALLY SUITED FOR RENTAL. WITH ITS IMPRESSIVE CAPABILITIES, THE d-COPIA 500 WILL RESOLVE THE PRODUCTIVITY NEEDS OF THE WHOLE DEPARTMENT.

d-Copia 500



200-sheet bypass for enhanced autonomy



long-life mono-component toner: up to 34,000 copies

PRESTO, PRESTISSIMO. FOR EVERYONE

The Olivetti d-Copia 500 is a digital machine with the accent on innovation, the result of extensive R&D work.

The d-Copia 500 offers a speed of 50 copies per minute for outstanding productivity, together with professional multifunctional capabilities. In network environments, it works with even the most advanced operating systems.

The d-Copia 500 lets you copy, print, scan and transmit fax directly from your PC, with front/back management as a standard feature on all functions. And Olivetti's digital technology makes for outstanding quality and unbeatable sharpness, to produce documents to the highest professional standards.

The Olivetti d-Copia 500 also offers sophisticated Scan to e-mail, Scan to PC and Twain Scan functions.

With so many users, departmental machines have to be easy to operate. The d-Copia 500 comes with a large intuitive user console, plus a touch-screen interface. When devices are used by different offices, confidentiality may need to be protected. For users who want their fax to be printed out only when they are manning the machine, the Olivetti d-Copia 500 provides a special password to be keyed in after the user name.

PAPER? AD LIBITUM

In large offices with many users running print or copy jobs, a constant supply of paper is vital to keep up with the workload. Not surprisingly, then, the Olivetti d-Copia 500 has an inexhaustible stock: the standard configuration comes with two 500-sheet trays and a 200-sheet by-pass. The simple addition of the PF75 module boosts total capacity to 4,200 sheets, significantly reducing time lost to restock paper and eliminating the annoyance of the paper running out in the middle of a job.

The d-Copia 500 combines its impressive paper store with an equally impressive memory: the powerful 20 GB hard disk is the ideal solution for storing frequently used documents, which can then be printed out as needed, without having to be retrieved on the PC.

For rational work organisation, the d-Copia 500 also provides an optional Job Separator to keep printed output separate from copies.

FINISHERS FOR SOLO VOICES: CHOOSE YOUR OWN RHYTHM

Whatever you need to produce smart, practical documents, the Olivetti d-Copia 500 has the answer.

Its range of finishers covers the needs of the most demanding office.

The DF71E professional finisher binds

documents with a choice of 2 or 4 punched holes. And the mail box sorts output into 7 different bins, for different users.

For users without special finishing needs, the DF75 produces practical booklets with saddle stapling and folding, and handles output of up to 1,000 sheets.

PERFECTLY PITCHED SAVINGS

The larger the office, the greater the need to keep costs under control, without savings affecting productivity. Everything is easier with the Olivetti d-Copia 500: its state-of-the-art technology keeps running costs down, with a long-life drum for 500,000 copies and a mono-component toner for 34,000 copies. Numbers that confirm the robustness of this machine and guarantee output, however heavy the workload.

Running costs can be separately monitored for each user, and the status of supplies and of the machine itself can be monitored from the user's PC or the service engineer's PC, to optimise maintenance and support.

With all these features, the Olivetti d-Copia 500 is ideally suited for rental.

d-Copia 500

DIGITAL COPIER



TECHNICAL SPECIFICATIONS

Type desktop/console

Desktop

Technology

Monocomponent, Single laser

Resolution

600 x 600 dpi

Pages per minute

50 cpm

Output sizes max./min.

A3R/B6R, Folio, envelopes

Greyscale

256

Standard paper supply

2 x 550 sheets. Bypass: 200 sheets

Dimensions

585 x 646 x 745 mm

Weight

82 kg

Power

220 - 240 Vac, 50/60 Hz, 5.7 A (average)

Absorption

1450 W max

Warm-up time

Normal: 25 sec. or less, when preheated: 10 sec. or less

COPIER FUNCTION

Copy method

Semiconductor laser

Scanning system

Flat bed scanning by CCD Image Sensor

Printing method

Semiconductor laser and electrophotography

First copy

3,5 sec. or less

Copy speed

50 cpm

Continuous copy

Up to 999

Memory

64 MB RAM (option: 20GB HDU (HD-70))

Originals

Sheets, Books, 3-D objects

Copy formats

A3R-B6R, Folio, 11" x 17" - 5.5" x 8.5"R, envelopes

Copy weights

Drawer/deck: 60-105 g/mm, Bypass: 45-200 g/mm, Duplexing: 64-80 g/mm

Paper capacity (80 gr/m²)

Trays: 500 sheets x 2, Bypass: 200 sheets, Trays (optional) 200 sheets x 2 (PF-70); Tray (optional): 3000 sheets (PF-75)

Output capacity

Upper stack tray: max.250 sheets

Pre-set reproduction ratios

5E/5R

Zoom

25-400 % (step 1%)

Image density regulation

Manual/Automatic

AUTO DUPLEX COPY

System

Non-stacking

Copy size

A3-A5R, Folio, 11" x 17"-5,5" x 8,5"R

Paper thickness

64-80 g/m²

Functions

Multiple Copy, Copy density control, Automatic density control, Image mode, Auto paper selection, Auto magnification selection, Manual selection, 100% magnification/Auto magnification switching, Magnification Copy, Original Size selection, Paper size selection, Transparency selection, Thin paper / thick paper. Interrupt copy, Auto start, Automatic drawer change, Mode program, Function setting conformation, Departmental copy control, Margin shift, Border erase, Original size selection/input, Auto duplex copy, Split copy, Sheet insertion, Transparency + lining paper, Transparency mode, Auto selection, Non-sort copy, Sort copy, Group copy, Stapling, Punch mode, Stacking mode, Multiple copies with one scan, Rotation copy, Black-and-white-inverted coping, Mirror image, Page N° printing, Form overlay, N-up printing, Magazine binding, Book-magazine binding, Size unification, Maintenance mode output, Maintenance mode Simulation output, User initial setting, Continuous scanning auto rotation, Auto rotation/no rotation, Job Built, Job reserve, Image centering, Document management, Repeat copy, Job Queue

OPTIONS

PLATEN COVER

AUTOMATIC FRONT-BACK DOCUMENT FEEDER (SRDF-2)

Original format

A3-A5R

Original paper weight

ADF mode: 35- 160 g/m², RADF mode: 50 - 120 g/m²

Capacity

100 sheets (A3, B4, Folio/ 11X 17, 8.5 x 14: 70 sheets)

Dimensions

553 x 478 x 121

Weight

10 kg

PAPER TRAY UNIT (PF-70)

Paper format

A3-A5R, Folio, 11" x 17"-5 1/2" x 8 1/2"

Capacity

500 sheets x 2

Paper weight

75-80 g/m²

Dimensions

585 x 590 x 315

Weight

25 kg

PAPER TRAY UNIT (PF-75)

Paper format

A4, B5, 11" x 8 1/2"

Capacity

3000 sheets

Paper weight

75-80 g/m²

Dimensions

585 x 590 x 315

Weight

35 kg

COPY STAND (CP-25/35)

Dimensions

585 x 590 x 315

Weight

12 kg

FINISHER UNIT (DF-71E)

Bin

2 bins

Paper format

Main tray:A3/B5/ 11 x 17, 8.5 x 14, 8.5 x 11R. Sub tray: A3/A6/ 11 x 17, 8.5 x 11R, 5.5x 8.5

Paper weight

Main tray: 60-160 mg/m², sub tray: 45-200 g/m²

Capacity

Main tray: 3000 sheets (1500 sheets: A3, B4, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R), sub tray: 250 sheets (150 sheets: A3, B4, Folio,/ 11 x17, 8.5 x 14)

Staple

3 positions. 50 sheets (30 sheets: A3, B4/ 11 x 17, 8.5 x 14)

Dimensions

697 x 584 x 1060

Punch

Standard

Weight

11 kg

FINISHER UNIT (DF-75)- BOOKLET FINISHER

Bin

2 bins

Paper format

Main tray: A3-B5/ 11 x 17, 8.5 x 14, 11 x 8.5 x 11R Booklet tray: A3,B4,A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight

Main tray: 50-200 g/m², Booklet tray: 60-105 g/m²

Capacity

Main tray: 1000 sheets (500 sheets: A3, B4, Folio, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R). Booklet tray: 20 sets (1-5 sheets), 10 sets (6-10 sheets)

Staple positions

3 positions. 50 sheets (30 sheets:A3, B4, Folio/ 11 x 17, 8.5 x 14) 10 sheets (Saddle staple)

Options: 2 Holes punch (PH-2B)

4 Holes punch (PH-2C)

Swedish holes punch (PH-2D)

Reverse unit(RA-1)

Dimensions

532 x 600 x 910

Weight

App. 38 kg

Punch

Option

FINISHER UNIT (DF-78)**Bin**

1 bin

Paper format

A3-B5/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight60-105 g/m²**Capacity**

500 sheets (250 sheets: A3, B4, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R)

Stapling

1 position, 30 sheets (20 sheets: A3, B4, Folio/ 11 x 17, 8.5 x 14)

Dimensions

310 x 410 x 160

Weight

App. 9 kg.

FINISHER UNIT (DF-73)**Bin**

1 bin

Paper format

A3-B5/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight64-128 g/m²**Capacity**

1.000 sheets

Stapling

1 position, 30 sheets (20 sheets: A3, B4, Folio/ 11 x 17, 8.5 x 14)

Dimensions

558 x 526 x 916

Weight

25 kg

PRINTER FUNCTIONS**Print system (U)**

Network included

Printing speed

50 ppm

CPU

PowerPC 750CX 500MHz

Memory

Standard:64 MB (max 576 MB, additional 2 DIMM socket - 32, 64, 128, 256 MB) + HDD 6 GB (HD-4)

Resolution

600 x 600 dpi

Interfaces

High speed Bi-directional parallel (IEEE 1284), USB (high speed), Fast Ethernet 10/100BaseTX Network interface, 2 KUIOLV slots

Languages

PCL6, PjL, Line printer, IBM Pprinter X24E, EPSON LQ-850, Dialblo 630, KC-GL, KPDL3 (PS lev.III° compatible), PDF-direct print.

Drivers

Windows 95/98/NT 4.0/ME/2000/XP, Mac OS

Fonts

1 Bitmap fonts, 80 Outline fonts CL6), 136

Outline fonts (KPDL3), 45 types of one dimensional and 1 type of two -dimensional barcodes (PDF-417)

Stapling

With optional finisher: DF-78, DF-71E, DF-75, DF-73

Punching

With optional finisher: DF 71E, DF 75

JOB SEPARATOR**Number trays**

1

Paper format

A3-A5R/ 11 x 17, 8.5 x 14, 11 x 8.5, 8.5 x 11R, 5.5 x 8.5

Paper weight75-80 g/m²**Tray capacity**

100 sheets (no size limit)

Dimensions (package)

570 x 420 x 230

Weight (package)

4 kg.

MAIL BOX**Number of trays**

7

Paper out

Face up/Face down

Paper format

A3-A5R/ 11 x 17, 8.5 x 14, 11 x 8.5, 8.5 x 11R, 5.5 x 8.5

Paper weight64-80 g/m²**Capacity**

100 sheets (50 sheets: A3, B4, Folio/ 11 x 17, 8.5 x 14)

Dimensions

510 x 400 x 470

Weight

App. 10 kg

FAX FUNCTION**Lines**

PSTN

Resolution

600x600 dpi

Compatibility

ITU-T Super G3

Data compression system

JBIG, MMR, MR, MH

Modem speed

33.6 kbps

Transmission speed

Less than 3 sec

Memory

Bitmap: 4 MB (Max. 8 MB). Image memory: 4 MB (Max. 8 MB)

Memory content protection

60 minutes (with 16 MB)

Feed

SRDF-2 (100 sheets)

Scanning speed

50 spm

Scanning format

Max A3

Function keys

Yes

One-touch dialling

Yes

Abbreviated dialling

Max 600 numbers

Broadcasting

Max 300 destinations

Reserved access codes

Max 100 codes

Reports/Management lists

Activities report, Confirm report, Settings list, List one-touch keys, List programmed dialling, List group dialling, List encrypted code keys, Access report, Telephone directory list

Other functions

Network faxing, Rotate transmission, Duplex Fax reception, Confidential, Relay and bulletin board transmission and reception, N-up reception, Mailbox, remote diagnostics

OPTIONS**Additional memory**

8 MB (Bitmap memory 4 MB + Image memory 4 MB)

SCANNER FUNCTION (NETWORK BOARD INCLUDED)**System**

Flat bed scanning system with CCD image sensor

Alignment

From exposure to bed: top left. From ADF: centred

Scanning speed

50 spm (600 dpi/A4)

Resolution

600, 400, 300, 200 dpi

Exposure adjustment

Constant lamp

Scan mode

B&W, Text, Photo, Draft, OCR

Max.scan size

A3

Image format

TIFF/PDF

Network protocol

TCP/IP

Compression method

G4 (MMR)

Applicable PC

IBM PC/AT Compatible

Applicable OS

Windows 95/98/Me/NT4.0/2000/XP

Interface

10/100 Base-TX, Twain

Greyscale

256 (2bit error defusion)

Bundled software

DB-Assistant, Scanner file utility, Address book, Address editor, TWAIN Source, PaperPort 8.2

OTHER FUNCTIONS**Original image quality**

Letter/picture

Eco print

Without setting/with setting

Paper selection

Auto paper/priority cassette